Trail Access Information Summary – Perimeter Trail

Park Name	Garrett Family Preserve			
Trail Name	Perimeter Tr	Perimeter Trail		
Length	· · · · · · · · · · · · · · · · · · ·	1.4 mi (2.2 km) One Way 2.8 mi (4.4 km) Round Trip		
Elevation Gain	44.2 ft (13.4	44.2 ft (13.46 m)		
Elevation Loss	49.6 ft (15.1	49.6 ft (15.11 m)		
Trail Uses Allowed	(Nov - Mar)	Leashed Dogs	Biking	
	Hiking		Wildlife Viewing	
	Photography	/		
Trail Uses NOT Allow	red Fishing		Dogs - Not Leashed	
	Camping		Equestrian	
	Motor Vehic	es	Plant Harvesting	
Typical Grade	1.4%		Max = 5.1%	
	Standard Ramp Grade is 8.3%			
Typical Cross Slope	2.6%		Max = 7.2%	
Typical Tread Width	105 in (266.	7 cm)	Min = 51 in (129.5 cm)	
Surface Type	Vegetation -	Mown		
Surface Category	0.0 % of Tra	il is Paved	0.0 % of trail is Soft	
	0.0 % of Tra	il is Hard	0.0 % of trail is Very Soft	
	100.0 % of 1	rail is Firm		
Obstructions:				
Туре:	Size (Height):	Remaining Tre	ead: Location:	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
-	•	e 2024-08-09 when	this trail was assessed. Temporary	
obstacles were not mapp				
_			in (12.7 cm) or outside of the tread	
		were not reported. M	inimum clearance width boundaries	
were at least ??? in (???	<u>cm)</u> nigh			

Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment Process (HETAP).

ength 0.4 mi (0.6 km) One Way 0.8 mi (1.2 km) Round Trip Elevation Gain 14.3 ft (4.36 m) Elevation Loss 17.4 ft (5.30 m) Frail Uses Allowed (Nov - Mar) Leashed Dogs Biking Hiking Wildlife Viewing Photography Wildlife Viewing Frail Uses NOT Allowed Fishing Dogs - Not Leashed Camping Equestrian Motor Vehicles Plant Harvesting Typical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Fypical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0.0 % of Trail is Hard 0.0 % of Trail is Firm 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Dbstructions: Size (Height): Remaining Tread: Location: N/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a in (Park Name	Garrett Family Preserve			
Lengtn 0.8 mi (1.2 km) Round Trip Elevation Gain 14.3 ft (4.36 m) Elevation Loss 17.4 ft (5.30 m) Frail Uses Allowed (Nov - Mar) Leashed Dogs Hiking Biking Wildlife Viewing Photography Fishing Dogs - Not Leashed Camping Equestrian Motor Vehicles Plant Harvesting Plant Harvesting Fypical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Standard Ramp Grade is 8.3% Fypical Cross Slope 1.8% Max = 5.3% Fypical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Firm 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Na in (n/a cm) n/a in (n/a cm) Va n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) V/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) V/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) V/a n/a in (n/a cm) n/	Trail Name	Loop Conne	Loop Connector Trails		
Elevation Loss 17.4 ft (5.30 m) Frail Uses Allowed (Nov - Mar) Leashed Dogs Hiking Photography Biking Wildlife Viewing Photography Frail Uses NOT Allowed Fishing Camping Dogs - Not Leashed Equestrian Motor Vehicles Fypical Grade 1.5% Max = 4.3% Typical Grade 1.5% Max = 4.3% Fypical Cross Slope 1.8% Max = 5.3% Fypical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of Trail is Firm 0.0 % of trail is Soft 0.0 % of Trail is Firm Obstructions: Fype: Size (Height): Remaining Treat: Location: N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a ft (n/a m) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a ft (n/a m) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a ft (n/a m) n/a ft (n/a m) N/a n/a i	Length				
Trail Uses Allowed (Nov - Mar) Leashed Dogs Biking Hiking Wildlife Viewing Photography Dogs - Not Leashed Gamping Equestrian Motor Vehicles Plant Harvesting Typical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Max = 5.3% Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Firm 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Dbstructions: Type: Size (Height): Remaining Tread: Location: 1/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a m) n/a in (n/a m) 1/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) 1/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) 1/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) 1/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) 1/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) <th>Elevation Gain</th> <th>14.3 ft (4.36</th> <th>m)</th> <th></th>	Elevation Gain	14.3 ft (4.36	m)		
Hiking Wildlife Viewing Photography Frail Uses NOT Allowed Fishing Dogs - Not Leashed Camping Equestrian Motor Vehicles Plant Harvesting Typical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Typical Cross Slope 1.8% Max = 5.3% Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Paved 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Stift (n/a m) Dostructions: Size (Height): Remaining Tread: Location: N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) </th <th>Elevation Loss</th> <th>17.4 ft (5.30</th> <th>m)</th> <th></th>	Elevation Loss	17.4 ft (5.30	m)		
Photography Trail Uses NOT Allowed Fishing Dogs - Not Leashed Camping Equestrian Motor Vehicles Plant Harvesting Typical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Max = 5.3% Typical Cross Slope 1.8% Max = 5.3% Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown O.0 % of trail is Soft 0.0 % of trail is Soft Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Obstructions: Fype: Size (Height): Remaining Tread: Location: N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) N/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) N/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) N/a n/a in (n/a c	Trail Uses Allowed	(Nov - Mar) I	_eashed Dogs	Biking	
Trail Uses NOT Allowed Fishing Dogs - Not Leashed Fishing Dogs - Not Leashed Equestrian Motor Vehicles Plant Harvesting Fypical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Max = 5.3% Fypical Cross Slope 1.8% Max = 5.3% Fypical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Hard 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Dbstructions: Fype: Size (Height): Remaining Tread: Location: N/a n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a cm) n/a in (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) <		Hiking		Wildlife Viewing	
Camping Motor VehiclesEquestrian Plant HarvestingTypical Grade1.5%Max = 4.3% Standard Ramp Grade is 8.3%Typical Cross Slope1.8%Max = 5.3%Typical Tread Width95 in (241.5 cm)Min = 82 in (208.3 cm)Surface TypeVegetation - MownSurface Category0.0 % of Trail is Paved 0.0 % of Trail is Flard 100.0 % of Trail is Firm0.0 % of trail is Soft 0.0 % of trail is Very Soft 100.0 % of Trail is FirmDbstructions: Fype:Size (Height):Remaining Tread:Location: n/a ft (n/a m) n/a ft (n/a m)Nan/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)Nan/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)Nan/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)Naming: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped.n/a (182.9 cm) high were not reported. Minimum clearance width boundaries were at least ??? in (??? cm) highData collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment		Photography	,		
Motor Vehicles Plant Harvesting Typical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Max = 5.3% Typical Cross Slope 1.8% Max = 5.3% Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown 0.0 % of Trail is Paved 0.0 % of trail is Soft Surface Category 0.0 % of Trail is Hard 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Dbstructions: Type: Size (Height): Remaining Tread: Location: N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a th (n/a cm) N/a n/a in (n/a	Trail Uses NOT Allov	ved Fishing		Dogs - Not Leashed	
Typical Grade 1.5% Max = 4.3% Standard Ramp Grade is 8.3% Standard Ramp Grade is 8.3% Typical Cross Slope 1.8% Max = 5.3% Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Hard 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Obstructions: Fype: Size (Height): Remaining Tread: Location: n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n (n/a cm) n/a in (n/a c		Camping		Equestrian	
Standard Ramp Grade is 8.3% Typical Cross Slope 1.8% Max = 5.3% Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Faved 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Obstructions: Fype: Size (Height): Remaining Tread: Location: n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) Naming: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the tread area 36 in (91.4 cm) wide by 72 in (182.9 cm) high were not reported. Minimum clearance width boundaries were at least 2??? in (??? cm) high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment		Motor Vehicl	es	Plant Harvesting	
Typical Cross Slope 1.8% Max = 5.3% Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Hard 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Obstructions: Type: Size (Height): n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) Naxing: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than <u>5 in (12.7 cm</u>) or outside of the tread area <u>36 in (91.4 cm</u>) wide by <u>72 in (1</u>	Typical Grade	1.5%		Max = 4.3%	
Typical Tread Width 95 in (241.5 cm) Min = 82 in (208.3 cm) Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft Surface Category 0.0 % of Trail is Hard 0.0 % of trail is Very Soft Dbstructions: Size (Height): Remaining Tread: Location: n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) N/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) Naming: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than <u>5 in (12.7 cm)</u> or outside of the tread area <u>36 in (91.4 cm)</u> wide by <u>72 in (182.9 cm)</u> high were not reported. Minimum clearance width boundaries were at least <u>???? in (??? cm)</u> high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment		Standard Ra	mp Grade is 8.3%		
Surface Type Vegetation - Mown Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft O.0 % of Trail is Hard 0.0 % of trail is Very Soft 100.0 % of Trail is Firm 0.0 % of trail is Very Soft Dbstructions: Fype: Size (Height): Remaining Tread: Location: n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) Naming: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the tread area 36 in (91.4 cm) wide by 72 in (182.9 cm) high were not reported. Minimum clearance width boundaries were at least ??? in (??? cm) high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	Typical Cross Slope	1.8%		Max = 5.3%	
Surface Category 0.0 % of Trail is Paved 0.0 % of trail is Soft 0.0 % of Trail is Hard 0.0 % of trail is Very Soft 100.0 % of Trail is Firm Dbstructions: Type: Size (Height): n/a n/a in (n/a cm) n/a n ain (n/a cm) n/a in (n/a cm) ware as and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the tread	Typical Tread Width	95 in (241.5	cm)	Min = 82 in (208.3 cm)	
0.0 % of Trail is Hard 0.0 % of trail is Very Soft 0.0 % of Trail is Hard 0.0 % of Trail is Firm Obstructions: Type: Size (Height): n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) n/a n/a in (n/a cm) n/a in (n/a cm) Naming: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than <u>5 in (12.7 cm)</u> or outside of the tread area <u>36 in (91.4 cm)</u> wide by <u>72 in (182.9 cm)</u> high were not reported. Minimum clearance width boundaries were at least <u>??? in (??? cm) high</u> Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	Surface Type	Vegetation -	Vegetation - Mown		
100.0 % of Trail is Firm Dbstructions: Type: Size (Height): Remaining Tread: Location: n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) Narning: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the tread area 36 in (91.4 cm) wide by 72 in (182.9 cm) high were not reported. Minimum clearance width boundaries were at least ??? in (??? cm) high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	Surface Category	0.0 % of Tra	il is Paved	0.0 % of trail is Soft	
Dbstructions: Size (Height): Remaining Tread: Location: n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) n/a n/a in (n/a cm) n/a in (n/a cm) n/a ft (n/a m) Narning: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than <u>5 in (12.7 cm)</u> or outside of the tread area <u>36 in (91.4 cm)</u> wide by <u>72 in (182.9 cm)</u> high were not reported. Minimum clearance width boundaries were at least <u>??? in (??? cm)</u> high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment		0.0 % of Tra	il is Hard	0.0 % of trail is Very Soft	
Type:Size (Height):Remaining Tread:Location:n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)Narning: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporaryobstacles were not mapped.Maximum grades and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the treadarea 36 in (91.4 cm) wide by 72 in (182.9 cm) high were not reported. Minimum clearance width boundariesvere at least ??? in (??? cm) highData collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment		100.0 % of T	100.0 % of Trail is Firm		
n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)Narning: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped.Maximum grades and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the tread area 36 in (91.4 cm) wide by 72 in (182.9 cm) high were not reported. Minimum clearance width boundaries vere at least ??? in (??? cm) highData collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	Obstructions:				
n/an/a in (n/a cm)n/a in (n/a cm)n/a in (n/a cm)n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)Narning: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped.n/a ft (n/a m)Maximum grades and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the tread area 36 in (91.4 cm) wide by 72 in (182.9 cm) high were not reported. Minimum clearance width boundaries were at least ??? in (??? cm) highData collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	Туре:	Size (Height):	Remaining Tre	ad: Location:	
n/an/a in (n/a cm)n/a in (n/a cm)n/a ft (n/a m)Narning: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped.Maximum grades and cross-slopes may vary. Obstructions less than 5 in (12.7 cm) or outside of the tread area 36 in (91.4 cm) wide by 72 in (182.9 cm) high were not reported. Minimum clearance width boundaries vere at least ??? in (??? cm) highData collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
Warning: Trail conditions may have changed since 2024-08-09 when this trail was assessed. Temporary obstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than <u>5 in (12.7 cm)</u> or outside of the tread area <u>36 in (91.4 cm)</u> wide by <u>72 in (182.9 cm)</u> high were not reported. Minimum clearance width boundaries vere at least <u>??? in (??? cm)</u> high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a (n/a m)	
bbstacles were not mapped. Maximum grades and cross-slopes may vary. Obstructions less than <u>5 in (12.7 cm)</u> or outside of the tread area <u>36 in (91.4 cm)</u> wide by <u>72 in (182.9 cm)</u> high were not reported. Minimum clearance width boundaries vere at least <u>??? in (??? cm)</u> high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	n/a	n/a in (n/a cm) n/a in (n/a cm)		n/a ft (n/a m)	
Maximum grades and cross-slopes may vary. Obstructions less than <u>5 in (12.7 cm)</u> or outside of the tread area <u>36 in (91.4 cm)</u> wide by <u>72 in (182.9 cm)</u> high were not reported. Minimum clearance width boundaries vere at least <u>??? in (??? cm)</u> high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	Warning: Trail conditions	s may have changed since	e 2024-08-09 when	this trail was assessed. Temporary	
area <u>36 in (91.4 cm)</u> wide by <u>72 in (182.9 cm)</u> high were not reported. Minimum clearance width boundaries vere at least <u>??? in (??? cm)</u> high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	obstacles were not map	oed.			
vere at least <u>??? in (??? cm)</u> high Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment	Maximum grades and cr	oss-slopes may vary. Obs	structions less than <u>5</u>	in (12.7 cm) or outside of the tread	
Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment			were not reported. Mi	nimum clearance width boundaries	
Process (HETAP).	•	ified Trail Assessment Co	ordinator using the Hi	gh Efficiency Trail Assessment	
	Process (HETAP).				

Trail Access Information Summary – Loop Connector Trails

Park Name	Garrett Family Preserve			
Trail Name	Songbird Tra	Songbird Trail		
Length		0.3 mi (0.5 km) One Way 0.6 mi (1.0 km) Round Trip		
Elevation Gain	8.9 ft (2.70 r			
Elevation Loss	12.6 ft (3.83	m)		
Trail Uses Allowed	Biking		Photography	
	Hiking		Wildlife Viewing	
	(Nov - Mar)	Leashed Dogs		
Trail Uses NOT Allowe	d Camping		Motor Vehicles	
	Hunting		Equestrian	
	Dogs - Not L	eashed	Plant Harvesting	
Typical Grade	1.3%		Max = 5.8%	
	Standard Ra	mp Grade is 8.3%		
Typical Cross Slope	2.1%		Max = 7.4%	
Typical Tread Width	68 in (173.1	cm)	Min = 56 in (142.2 cm)	
Surface Type	Vegetation -	Vegetation - Mown		
Surface Category	0.0 % of Tra	il is Paved	0.0 % of trail is Soft	
	0.0 % of Tra	il is Hard	0.0 % of trail is Very Soft	
	100.0 % of 1	100.0 % of Trail is Firm		
Obstructions:				
Туре:	Size (Height):	Remaining Tre	ad: Location:	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a (n/a m)	
n/a	n/a in (n/a cm) n/a in (n/a cm)		n/a ft (n/a m)	
Warning: Trail conditions r	nay have changed since	e 2024-06-11 when	this trail was assessed. Temporary	
obstacles were not mappe	d.			
Maximum grades and cros	s-slopes may vary. Ob	structions less than <u>5</u>	in (12.7 cm) or outside of the tread	
area <u>36 in (91.4 cm)</u> wide b	oy <u>72 in (182.9 cm)</u> high	were not reported. Mi	nimum clearance width boundaries	
were at least ??? in (??? o	<u>m)</u> high			
Data collected by a Certifie	ed Trail Assessment Co	ordinator using the Hi	gh Efficiency Trail Assessment	
Process (HETAP).				

Trail Access Information Summary – Songbird Trail

Park Name	Garrett Fam	Garrett Family Preserve		
Trail Name	Poet's Trail			
Length	•	0.2 mi (0.4 km) One Way 0.4 mi (0.8 km) Round Trip		
Elevation Gain	1.7 ft (0.53 n	n)		
Elevation Loss	10.8 ft (3.29	m)		
Trail Uses Allowed	Biking		Wildlife Viewing	
	Hiking		Photography	
	(Nov - Mar)	Leashed Dogs		
Trail Uses NOT Allow	ed Hunting		Dogs - Not Leashed	
	Camping		Equestrian	
	Motor Vehic	es	Plant Harvesting	
Typical Grade	1.1%		Max = 3.9%	
	Standard Ra	mp Grade is 8.3%		
Typical Cross Slope	2.1%		Max = 5.2%	
Typical Tread Width	84 in (212.6	cm)	Min = 82 in (208.3 cm)	
Surface Type	Vegetation -	Mown		
Surface Category	0.0 % of Tra	il is Paved	0.0 % of trail is Soft	
	0.0 % of Tra	il is Hard	0.0 % of trail is Very Soft	
	100.0 % of T	100.0 % of Trail is Firm		
Obstructions:				
Туре:	Size (Height):	Remaining Tre	ead: Location:	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
Warning: Trail conditions	may have changed since	e 2024-08-09 when	this trail was assessed. Temporary	
obstacles were not mapp	ed.			
Maximum grades and cro	ss-slopes may vary. Obs	structions less than <u>5</u>	in (12.7 cm) or outside of the tread	
area <u>36 in (91.4 cm)</u> wide	by <u>72 in (182.9 cm)</u> high	were not reported. M	inimum clearance width boundaries	
were at least ??? in (???	<u>cm)</u> high			
Data collected by a Certif	ied Trail Assessment Co	ordinator using the H	igh Efficiency Trail Assessment	
Process (HETAP).				

Trail Access Information Summary – Poet's Trail

Park Name	Garrett Family Preserve		
Trail Name	Artist Trail		
Length	0.3 mi (0.5 km) One Way 0.6 mi (1.0 km) Round Trip		
Elevation Gain	8.3 ft (2.52 n	n)	
Elevation Loss	10.2 ft (3.11	m)	
Trail Uses Allowed	Biking		Photography
	Hiking		Wildlife Viewing
	(Nov - Mar) I	_eased Dogs	Walking/Jogging
Trail Uses NOT Allowed	Hunting		Equestrian
	Camping		Motor Vehicles
	Dogs - Not le	eashed	Plant Harvesting
Typical Grade	1.2%		Max = 5.5%
	Standard Ra	mp Grade is 8.3%	
Typical Cross Slope	1.6%		Max = 6.9%
Typical Tread Width	76 in (194.2	cm)	Min = 65 in (165.1 cm)
Surface Type	Vegetation -	Mown	
Surface Category	0.0 % of Tra	il is Paved	0.0 % of trail is Soft
	0.0 % of Trail is Hard		0.0 % of trail is Very Soft
	100.0 % of Trail is Firm		
Obstructions:			
Type: Size (I	Height):	Remaining Tr	ead: Location:
n/a n/a in	(n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)
n/a n/a in	(n/a cm)	n/a in (n/a cm)	n/a (n/a m)
n/a n/a in	n/a in (n/a cm) n/a in (n/a cm)		n/a ft (n/a m)
Warning: Trail conditions may hav	e changed since	e 2024-09-17 when	this trail was assessed. Temporary
obstacles were not mapped.			
Maximum grades and cross-slope	s may vary. Obs	tructions less than <u>5</u>	in (12.7 cm) or outside of the tread
area 36 in (91.4 cm) wide by 80 in (203.2 cm) high were not reported. Minimum clearance width boundaries			
were at least <u>??? in (??? cm)</u> high			
Data collected by a Certified Trail	Assessment Co	ordinator using the H	ligh Efficiency Trail Assessment
Process (HETAP).			

Trail Access Information Summary – Artist Trail

Irail Access In Park Name				
		Garrett Family Preserve		
Trail Name		Butterfly Trail 0.3 mi (0.5 km) One Way		
Length	· · · · · · · · · · · · · · · · · · ·	, ,		
Elevation Gain		<u>(m) Round Trip</u>		
	6.0 ft (1.82 i	,		
Elevation Loss	20.2 ft (6.15	om)		
Trail Uses Allowed	Hiking		Wildlife Viewing	
	Photograph	У	(Nov - Mar) Leashed Dogs	
	Biking			
Trail Uses NOT Allow			Equestrian	
	Camping		Motor Vehicles	
	Dogs - Not I	Leashed	Plant Harvesting	
Typical Grade	1.5%		Max = 5.4%	
	Standard Ra	amp Grade is 8.3%		
Typical Cross Slope	1.6%		Max = 6.9%	
Typical Tread Width	82 in (207.9	∙cm)	Min = 66 in (167.6 cm)	
Surface Type	Vegetation -	- Mown		
Surface Category	0.0 % of Tra	ail is Paved	0.0 % of trail is Soft	
	0.0 % of Tra	ail is Hard	0.0 % of trail is Very Soft	
	100.0 % of ⁻	Trail is Firm	-	
Obstructions:				
Туре:	Size (Height):	Remaining Tre	ead: Location:	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
Warning: Trail conditions	may have changed sinc	e 2024-09-17 when	this trail was assessed. Temporary	
obstacles were not mapp	ed.			
Maximum grades and cro	ss-slopes may vary. Obs	structions less than <u>??</u>	? in (??? cm) or outside of the tread	
area <u>36 in (91.4 cm)</u> wide	by ??? in (??? cm) high	were not reported. Mi	inimum clearance width boundaries	
were at least ??? in (???	cm) high	-		

Trail Access Information Summary – Butterfly Trail

Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment Process (HETAP).

Trail Access Information Summary – Meadow to Marsh Trail

Park Name	Garrett Fam	Garrett Family Preserve		
Trail Name	Meadow to N	Meadow to Marsh Trail		
Length	· · · · ·	0.4 mi (0.6 km) One Way 0.8 mi (1.2 km) Round Trip		
Elevation Gain	19.1 ft (5.82	19.1 ft (5.82 m)		
Elevation Loss	16.8 ft (5.12	16.8 ft (5.12 m)		
Trail Uses Allowed	Biking		Photography	
	Hiking		Wildlife Viewing	
	(Nov - Mar)	(Nov - Mar) Leashed Dogs		
Trail Uses NOT Allow	ed Dogs - Not L	.eashed	Equestrian	
	Hunting		Motor Vehicles	
	Camping		Plant Harvesting	
Typical Grade	1.9%		Max = 6.0%	
	Standard Ra	mp Grade is 8.3%		
Typical Cross Slope	1.9%		Max = 5.9%	
Typical Tread Width	81 in (206.5	cm)	Min = 56 in (142.2 cm)	
Surface Type	Vegetation -	Mown		
Surface Category	0.0 % of Tra	il is Paved	0.0 % of trail is Soft	
	0.0 % of Tra	il is Hard	0.0 % of trail is Very Soft	
	100.0 % of T	100.0 % of Trail is Firm		
Obstructions:				
Туре:	Size (Height):	Remaining Tre	ad: Location:	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a ft (n/a m)	
n/a	n/a in (n/a cm)	n/a in (n/a cm)	n/a (n/a m)	
n/a	n/a in (n/a cm) n/a in (n/a cm)		n/a ft (n/a m)	
Warning: Trail conditions obstacles were not mapp		e 2024-08-09 when	this trail was assessed. Temporary	
Maximum grades and cro	oss-slopes may vary. Obs by <u>72 in (182.9 cm)</u> high		in (12.7 cm) or outside of the tread nimum clearance width boundaries	

Data collected by a Certified Trail Assessment Coordinator using the High Efficiency Trail Assessment Process (HETAP).